









**Configurazioni possibili / Possible configurations / Configuraciones posibles / Configurations possibles /
Mögliche Konfigurationen / Možliwe konfiguracje / Galimos konfigūracijos / Moguće konfiguracije /
Configurații posibile / Възможни конфигурации**

INDEX

Palmo type A + DINFIR3 (EN1125:2008)	2
Idea Base type A + DINFIR3 (EN1125:2008)	3
Push Palmo type B + DINFIR3 (EN1125:2008)	4
Push Infilare type B + DINFIR3 (EN1125:2008)	5
Pad Infilare type B + DINFIR3 (EN179:2008).....	6
Lever Handle type A + DINFIR3 (EN179:2008)	7
Palmo type A + 214, 212 (EN1125:2008).....	8
Idea Base type A + 214, 212 (EN1125:2008).....	8
Push Palmo type B + 214, 212 (EN1125:2008).....	8
Push Infilare type B + 214, 212 (EN1125:2008)	8
Pad Infilare type B + 214, 212 (EN179:2008)	9
Lever handle type A + 214, 212 (EN179:2008).....	9
ProExit type A + Multiblindo Easy Exit or Emotion Exit (EN1125:2008)	10
Lever handle type A + Multiblindo Easy Exit or Emotion Exit (EN179:2008)	11

Palmo type A + DINFIR3 (EN1125:2008)

 <p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B art. 2DD11***** lock 1 point, latch plus deadbolt function D art. 2DE11***** lock 1 point, latch plus deadbolt function E art. 038650** striking plate</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B art. 2DD21***** lock 2 points, latch plus deadbolt function D art. 2DE21***** lock 2 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B art. 2DD31***** lock 3 points, latch plus deadbolt function D art. 2DE31***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B art. 2DD41***** lock 3 points, latch plus deadbolt function D art. 2DE41***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>
---	--	---	--

 <p>Active leaf 1 locking point</p> <p>art. 2DB12***** lock 1 point, latch plus deadbolt function B art. 2DD12***** lock 1 point, latch plus deadbolt function D art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf 2 locking points</p> <p>art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>Active leaf 2 locking points</p> <p>art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>Active leaf 3 locking points</p> <p>art. 2DB32***** lock 3 points, latch plus deadbolt function B art. 2DD32***** lock 3 points, latch plus deadbolt function D art. 2DE32***** lock 3 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>	 <p>Active leaf 3 locking points</p> <p>art. 2DB42***** lock 3 points, latch plus deadbolt function B art. 2DD42***** lock 3 points, latch plus deadbolt function D art. 2DE42***** lock 3 points, latch plus deadbolt function E art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device art. 0331** striking plate for deviators</p> <p>Operating elements art. 9490000*03791* Palmo art. 9459** horizontal bar</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6706 CE DoP nr. EN1125-6706 UKCA certificate nr. 0086 CPR 747909 UKCA DoP nr. EN1125-747909 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-A-A</p>
--	--	---	---





Idea Base type A + DINFIR3 (EN1125:2008)





<p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B</p> <p>art. 2DD11***** lock 1 point, latch plus deadbolt function D</p> <p>art. 2DE11***** lock 1 point, latch plus deadbolt function E</p> <p>art. 038650** striking plate</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B</p> <p>art. 2DD21***** lock 2 points, latch plus deadbolt function D</p> <p>art. 2DE21***** lock 2 points, latch plus deadbolt function E</p> <p>art. 038650** striking plate</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>art. 032154 rod hasp top</p> <p>art. 032314, 0321*4 vertical rod</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B</p> <p>art. 2DD31***** lock 3 points, latch plus deadbolt function D</p> <p>art. 2DE31***** lock 3 points, latch plus deadbolt function E</p> <p>art. 038650** striking plate</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>art. 032154 rod hasp top</p> <p>art. 032314, 0321*4 vertical rods</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B</p> <p>art. 2DD41***** lock 3 points, latch plus deadbolt function D</p> <p>art. 2DE41***** lock 3 points, latch plus deadbolt function E</p> <p>art. 038650** striking plate</p> <p>art. 033117 vertical rods for deviators</p> <p>art. 2D014*000* lateral deviator</p> <p>art. 0331** striking plate for deviators</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>

<p>Active leaf</p> <p>art. 2DB12***** lock 1 point, latch plus deadbolt function B</p> <p>art. 2DD12***** lock 1 point, latch plus deadbolt function D</p> <p>art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf</p> <p>art. 2D7001***** counterlock</p> <p>art. 032314, 0321*4 vertical rods for top and bottom locking points</p> <p>art. 032154 rod hasp top</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>Active leaf</p> <p>art. 2DB22***** lock 2 points, latch plus deadbolt function B</p> <p>art. 2DD22***** lock 2 points, latch plus deadbolt function D</p> <p>art. 2DE22***** lock 2 points, latch plus deadbolt function E</p> <p>art. 032144*, 0327** upper relatching device</p> <p>art. 032154 rod hasp top</p> <p>art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf</p> <p>art. 2D7001***** counterlock</p> <p>art. 032314, 0321*4 vertical rods for top and bottom locking points</p> <p>art. 032154 rod hasp top</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>Active leaf</p> <p>art. 2DB32***** lock 3 points, latch plus deadbolt function B</p> <p>art. 2DD32***** lock 3 points, latch plus deadbolt function D</p> <p>art. 2DE32***** lock 3 points, latch plus deadbolt function E</p> <p>art. 032144*, 0327** upper relatching device</p> <p>art. 032154 rod hasp top</p> <p>art. 032314, 0321*4 vertical rods</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>Inactive leaf</p> <p>art. 2D7001***** counterlock</p> <p>art. 032314, 0321*4 vertical rods for top and bottom locking points</p> <p>art. 032154 rod hasp top</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>	<p>Active leaf</p> <p>art. 2DB42***** lock 3 points, latch plus deadbolt function B</p> <p>art. 2DD42***** lock 3 points, latch plus deadbolt function D</p> <p>art. 2DE42***** lock 3 points, latch plus deadbolt function E</p> <p>art. 033117 vertical rods for deviators</p> <p>art. 2D014*000* lateral deviator</p> <p>Inactive leaf</p> <p>art. 2D7001***** counterlock</p> <p>art. 032314, 0321*4 vertical rods for top and bottom locking points</p> <p>art. 032154 rod hasp top</p> <p>art. 032174, 032704 rod hasp bottom</p> <p>art. 032164 floor strike cup</p> <p>art. 032144...*, 0327** upper relatching device</p> <p>art. 0331** striking plate for deviators</p> <p>Operating elements</p> <p>art. 94C0000*03791* Idea Base</p> <p>art. 9459** horizontal bar</p> <p>Certificates and DoP</p> <p>CE certificate nr. 0497/CPR/6706</p> <p>CE DoP nr. EN1125-6706</p> <p>UKCA certificate nr. 0086 CPR 747909</p> <p>UKCA DoP nr. EN1125-747909</p> <p>Harmonized standard EN1125:2008</p> <p>Classification 3-7-7-B-1-4-2-2-A-A</p>









Not Possible

Push Palmo type B + DINFIR3 (EN1125:2008)





 <p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B art. 2DD11***** lock 1 point, latch plus deadbolt function D art. 2DE11***** lock 1 point, latch plus deadbolt function E art. 038650** striking plate</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B art. 2DD21***** lock 2 points, latch plus deadbolt function D art. 2DE21***** lock 2 points, latch plus deadbolt function E art. 038650** striking plate art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B art. 2DD31***** lock 3 points, latch plus deadbolt function D art. 2DE31***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B art. 2DD41***** lock 3 points, latch plus deadbolt function D art. 2DE41***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000** lateral deviator art. 0331** striking plate for deviators</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>
---	---	--	---





 <p>Active leaf 1 locking point</p> <p>art. 2DB12***** lock 1 point, latch plus deadbolt function B art. 2DD12***** lock 1 point, latch plus deadbolt function D art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 2 locking points</p> <p>art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 3 locking points</p> <p>art. 2DB32***** lock 3 points, latch plus deadbolt function B art. 2DD32***** lock 3 points, latch plus deadbolt function D art. 2DE32***** lock 3 points, latch plus deadbolt function E art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 3 locking points</p> <p>art. 2DB42***** lock 3 points, latch plus deadbolt function B art. 2DD42***** lock 3 points, latch plus deadbolt function D art. 2DE42***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000** lateral deviator</p> <p>Inactive leaf 2 locking points</p> <p>art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device art. 0331** striking plate for deviators</p> <p>Operating elements art. 9449***5839.1 Push Palmo</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>
---	--	---	--

Push Infilare type B + DINFIR3 (EN1125:2008)





 <p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B art. 2DD11***** lock 1 point, latch plus deadbolt function D art. 2DE11***** lock 1 point, latch plus deadbolt function E art. 038650** striking plate</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B art. 2DD21***** lock 2 points, latch plus deadbolt function D art. 2DE21***** lock 2 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B art. 2DD31***** lock 3 points, latch plus deadbolt function D art. 2DE31***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B art. 2DD41***** lock 3 points, latch plus deadbolt function D art. 2DE41***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>
 <p>Active leaf 1 locking point art. 2DB12***** lock 1 point, latch plus deadbolt function B art. 2DD12***** lock 1 point, latch plus deadbolt function D art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf 2 locking points art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 2 locking points art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf 2 locking points art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 3 locking points art. 2DB32***** lock 3 points, latch plus deadbolt function B art. 2DD32***** lock 3 points, latch plus deadbolt function D art. 2DE32***** lock 3 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Inactive leaf 2 locking points art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>	 <p>Active leaf 3 locking points art. 2DB42***** lock 3 points, latch plus deadbolt function B art. 2DD42***** lock 3 points, latch plus deadbolt function D art. 2DE42***** lock 3 points, latch plus deadbolt function E art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator</p> <p>Inactive leaf 2 locking points art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device art. 0331** striking plate for deviators</p> <p>Operating elements art. 94F0*****3791* Push Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6707 CE DoP nr. EN1125-6707 UKCA certificate nr. 0086 CPR 747911 UKCA DoP nr. EN1125-747911 Harmonized standard EN1125:2008 Classification 3-7-7-B-1-4-2-2-B-A</p>





Pad Infilare type B + DINFIR3 (EN179:2008)

 <p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B art. 2DD11***** lock 1 point, latch plus deadbolt function D art. 2DE11***** lock 1 point, latch plus deadbolt function E art. 038650** striking plate</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B art. 2DD21***** lock 2 points, latch plus deadbolt function D art. 2DE21***** lock 2 points, latch plus deadbolt function E art. 038650** striking plate art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B art. 2DD31***** lock 3 points, latch plus deadbolt function D art. 2DE31***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 032144..., 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B art. 2DD41***** lock 3 points, latch plus deadbolt function D art. 2DE41***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>
--	--	---	---

 <p>Active leaf 1 locking point</p> <p>Inactive leaf 2 locking points</p> <p>Active leaf art. 2DB12***** lock 1 point, latch plus deadbolt function B art. 2DD12***** lock 1 point, latch plus deadbolt function D art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>Active leaf 2 locking points</p> <p>Inactive leaf 2 locking points</p> <p>Active leaf art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>Active leaf 3 locking points</p> <p>Inactive leaf 2 locking points</p> <p>Active leaf art. 2DB32***** lock 3 points, latch plus deadbolt function B art. 2DD32***** lock 3 points, latch plus deadbolt function D art. 2DE32***** lock 3 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Inactive leaf art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	 <p>Active leaf 3 locking points</p> <p>Inactive leaf 2 locking points</p> <p>Active leaf art. 2DB42***** lock 3 points, latch plus deadbolt function B art. 2DD42***** lock 3 points, latch plus deadbolt function D art. 2DE42***** lock 3 points, latch plus deadbolt function E art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator</p> <p>Inactive leaf art. 2D7001***** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144..., 0327** upper relatching device art. 0331** striking plate for deviators</p> <p>Operating elements art. 94G0000*03791 Pad Infilare</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6709 CE DoP nr. EN179-6709 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>
--	---	--	--

Lever Handle type A + DINFIR3 (EN179:2008)

 <p>1 locking point</p> <p>art. 2DB11***** lock 1 point, latch plus deadbolt function B art. 2DD11***** lock 1 point, latch plus deadbolt function D art. 2DE11***** lock 1 point, latch plus deadbolt function E art. 038650** striking plate</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>2 locking points</p> <p>art. 2DB21***** lock 2 points, latch plus deadbolt function B art. 2DD21***** lock 2 points, latch plus deadbolt function D art. 2DE21***** lock 2 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>3 locking points</p> <p>art. 2DB31***** lock 3 points, latch plus deadbolt function B art. 2DD31***** lock 3 points, latch plus deadbolt function D art. 2DE31***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 032144...*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>3 locking points lateral</p> <p>art. 2DB41***** lock 3 points, latch plus deadbolt function B art. 2DD41***** lock 3 points, latch plus deadbolt function D art. 2DE41***** lock 3 points, latch plus deadbolt function E art. 038650** striking plate art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>
--	---	--	---

 <p>Active leaf 1 locking point art. 2DB12***** lock 1 point, latch plus deadbolt function B art. 2DD12***** lock 1 point, latch plus deadbolt function D art. 2DE12***** lock 1 point, latch plus deadbolt function E</p> <p>Inactive leaf 2 locking points art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>Active leaf 2 locking points art. 2DB22***** lock 2 points, latch plus deadbolt function B art. 2DD22***** lock 2 points, latch plus deadbolt function D art. 2DE22***** lock 2 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rod</p> <p>Inactive leaf 2 locking points art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>Active leaf 3 locking points art. 2DB32***** lock 3 points, latch plus deadbolt function B art. 2DD32***** lock 3 points, latch plus deadbolt function D art. 2DE32***** lock 3 points, latch plus deadbolt function E art. 032144*, 0327** upper relatching device art. 032154 rod hasp top art. 032314, 0321*4 vertical rods art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup</p> <p>Inactive leaf 2 locking points art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	 <p>Active leaf 3 locking points art. 2DB42***** lock 3 points, latch plus deadbolt function B art. 2DD42***** lock 3 points, latch plus deadbolt function D art. 2DE42***** lock 3 points, latch plus deadbolt function E art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator</p> <p>Inactive leaf 2 locking points art. 2D7001**** counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device art. 0331** striking plate for deviators</p> <p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p> <p>Certificates and DoP CE certificate nr. 0497/CPR/6708 CE DoP nr. EN179-6708 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>
---	---	--	--

Palmo type A + 214, 212 (EN1125:2008)

1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Operating elements
 art. 9490000*03791* Palmo
 art. 9459** horizontal bar

Certificates and DoP
 CE certificate nr. 0497/CPR/6559
 CE DoP nr. EN1125-6559
 UKCA certificate nr. 0086 CPR 747909
 UKCA DoP nr. EN1125-747909
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Active leaf
1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Inactive leaf
2 locking points

lock Fail Secure
 lock Fail Safe
 lock only latch
 lock only latch

Inactive leaf
 art. 212*00654 counterlock
 art. 032314, 0321*4 vertical rods for top and bottom locking points
 art. 032154 rod hasp top
 art. 032174, 032704 rod hasp bottom
 art. 032164 floor strike cup
 art. 032144...*, 0327** upper relatching device

Operating elements
 art. 9490000*03791* Palmo
 art. 9459** horizontal bar

Certificates and DoP
 CE certificate nr. 0497/CPR/6559
 CE DoP nr. EN1125-6559
 UKCA certificate nr. 0086 CPR 747909
 UKCA DoP nr. EN1125-747909
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Idea Base type A + 214, 212 (EN1125:2008)

1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Operating elements
 art. 94C0000*03791* Idea Base
 art. 9459** horizontal bar

Certificates and DoP
 CE certificate nr. 0497/CPR/6559
 CE DoP nr. EN1125-6559
 UKCA certificate nr. 0086 CPR 747909
 UKCA DoP nr. EN1125-747909
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Active leaf
1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Inactive leaf
2 locking points

lock Fail Secure
 lock Fail Safe
 lock only latch
 lock only latch

Inactive leaf
 art. 212*00654 counterlock
 art. 032314, 0321*4 vertical rods for top and bottom locking points
 art. 032154 rod hasp top
 art. 032174, 032704 rod hasp bottom
 art. 032164 floor strike cup
 art. 032144...*, 0327** upper relatching device

Operating elements
 art. 94C0000*03791* Idea Base
 art. 9459** horizontal bar

Certificates and DoP
 CE certificate nr. 0497/CPR/6559
 CE DoP nr. EN1125-6559
 UKCA certificate nr. 0086 CPR 747909
 UKCA DoP nr. EN1125-747909
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Push Palmo type B + 214, 212 (EN1125:2008)

1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Operating elements
 art. 9449***5839.1 Push Palmo

Certificates and DoP
 CE certificate nr. 0497/CPR/6560
 CE DoP nr. EN1125-6560
 UKCA certificate nr. 0086 CPR 747911
 UKCA DoP nr. EN1125-747911
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-B-A

Active leaf
1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Inactive leaf
2 locking points

lock Fail Secure
 lock Fail Safe
 lock only latch
 lock only latch

Inactive leaf
 art. 212*00654 counterlock
 art. 032314, 0321*4 vertical rods for top and bottom locking points
 art. 032154 rod hasp top
 art. 032174, 032704 rod hasp bottom
 art. 032164 floor strike cup
 art. 032144...*, 0327** upper relatching device

Operating elements
 art. 9449***5839.1 Push Palmo

Certificates and DoP
 CE certificate nr. 0497/CPR/6560
 CE DoP nr. EN1125-6560
 UKCA certificate nr. 0086 CPR 747911
 UKCA DoP nr. EN1125-747911
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Push Infilare type B + 214, 212 (EN1125:2008)

1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Operating elements
 art. 94F0*****3791* Push Infilare

Certificates and DoP
 CE certificate nr. 0497/CPR/6560
 CE DoP nr. EN1125-6560
 UKCA certificate nr. 0086 CPR 747911
 UKCA DoP nr. EN1125-747911
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Active leaf
1 locking point

art. 214E10654..* lock Fail Secure
 art. 214F10654..* lock Fail Safe
 art. 214910654..* lock only latch
 art. 214110654 lock only latch

Inactive leaf
2 locking points

lock Fail Secure
 lock Fail Safe
 lock only latch
 lock only latch

Inactive leaf
 art. 212*00654 counterlock
 art. 032314, 0321*4 vertical rods for top and bottom locking points
 art. 032154 rod hasp top
 art. 032174, 032704 rod hasp bottom
 art. 032164 floor strike cup
 art. 032144...*, 0327** upper relatching device

Operating elements
 art. 94F0*****3791* Push Infilare


Certificates and DoP
 CE certificate nr. 0497/CPR/6560
 CE DoP nr. EN1125-6560
 UKCA certificate nr. 0086 CPR 747911
 UKCA DoP nr. EN1125-747911
 Harmonized standard EN1125:2008
 Classification 3-7-7-B-1-4-2-2-A-A

Pad Infilare type B + 214, 212 (EN179:2008)

Lever handle type A + 214, 212 (EN179:2008)

<p>1 locking point</p>	<p>Active leaf 1 locking point</p>	<p>1 locking point</p>	<p>Active leaf 1 locking point</p>
<p>art. 214E10654..* lock Fail Secure art. 214F10654..* lock Fail Safe art. 214910654..* lock only latch art. 214110654 lock only latch</p>	<p>art. 214E10654..* lock Fail Secure art. 214F10654..* lock Fail Safe art. 214910654..* lock only latch art. 214110654 lock only latch</p>	<p>art. 214E10654..* lock Fail Secure art. 214F10654..* lock Fail Safe art. 214910654..* lock only latch art. 214110654 lock only latch</p>	<p>art. 214E10654..* lock Fail Secure art. 214F10654..* lock Fail Safe art. 214910654..* lock only latch art. 214110654 lock only latch</p>
<p>Operating elements art. 94G0000*03791 Pad Infilare</p>	<p>Inactive leaf art. 212*00654 counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p>	<p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p>	<p>Inactive leaf art. 212*00654 counterlock art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144...*, 0327** upper relatching device</p>
<p>Certificates and DoP art. 94G0000*03791 Pad Infilare</p>	<p>Operating elements art. 94G0000*03791 Pad Infilare</p>	<p>Certificates and DoP art. 0324** ISEO handle; see certificate and DoP for other articles</p>	<p>Operating elements art. 0324** ISEO handle; see certificate and DoP for other articles</p>
<p>Certificates and DoP CE certificate nr. 0497/CPR/6561 CE DoP nr. EN179-6561 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-B-A</p>	<p>Certificates and DoP CE certificate nr. 0497/CPR/6561 CE DoP nr. EN179-6561 UKCA certificate nr. 0086 CPR 747902 UKCA DoP nr. EN179-747902 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	<p>Certificates and DoP CE certificate nr. 0497/CPR/6562 CE DoP nr. EN179-6562 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>	<p>Certificates and DoP CE certificate nr. 0497/CPR/6562 CE DoP nr. EN179-6562 UKCA certificate nr. 0086 CPR 747904 UKCA DoP nr. EN179-747904 Harmonized standard EN179:2008 Classification 3-7-7-B-1-4-5-2-A-A</p>

ProExit type A + Multiblindo Easy Exit or Emotion Exit (EN1125:2008)



3 locking points


art. 7A37*****	Multiblindo Emotion Exit
art. XXXX*****	Multiblindo Emotion Exit Bus 2.0
art. 7A39*****.A	Multiblindo Easy Exit
art. 03332*, 03323*, art, 03324*	Central strike
art. 03316*, 03333*, 03316*, 03317*	Deviators strike
art. 00E1***10**,*	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate

Operating elements

art. 94A0000*****	ISEO lever handle see certificate and DoP for other articles
-------------------	--

Certificates and DoP

CE certificate nr.	0497/CPR/5639
CE DoP nr.	EN1125-5639
UKCA certificate nr.	0086 CPR 747917
UKCA DoP nr.	EN1125-747917
Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-1-A-B



4 locking points


art. 7A37*****	Multiblindo Emotion Exit prearranged for extensions
art. XXXX*****	Multiblindo Emotion Exit Bus 2.0 prearranged for extensions
art. 7A39*****.A	Multiblindo Easy Exit prearranged for extensions
art. 7AX100002	Extension U forend only latch
art. 7AX110002	Extension Flat forend only latch
art. 03332*, 03323*, art, 03324*	Central strike
art. 03316*, 03333*, 03316*, 03317*	Deviators strike
art. 00E1***10**,*	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate

Operating elements

art. 94A0000*****	ISEO lever handle see certificate and DoP for other articles
-------------------	--

Certificates and DoP

CE certificate nr.	0497/CPR/5639
CE DoP nr.	EN1125-5639
UKCA certificate nr.	0086 CPR 747917
UKCA DoP nr.	EN1125-747917
Harmonized standard	EN1125:2008
Classification	3-7-7-A-1-4-2-1-A-B



1 locking point

art. 7A1A*****.A	Multiblindo Easy Exit lateral
art. 03332*, 03323*, art, 03324*	Central strike
art. 00E1***10**,*	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate


Operating elements

art. 94A0000*****	ISEO lever handle see certificate and DoP for other articles
-------------------	--

Certificates and DoP

CE certificate nr.	0497/CPR/5639
CE DoP nr.	EN1125-5639
UKCA certificate nr.	0086 CPR 747917
UKCA DoP nr.	EN1125-747917
Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-1-A-B

Lever handle type A + Multiblindo Easy Exit or Emotion Exit (EN179:2008)



3 locking points

art. 7A37*****	Multiblindo Emotion Exit
art. XXXX*****	Multiblindo Emotion Exit Bus 2.0
art. 7A39***** A	Multiblindo Easy Exit
art. 03332*, 03323*, art. 03324*	Central strike
art. 03316*, 03333*, 03316*, 03317*	Deviators strike
art. 00E1***10**	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate

Operating elements

art. 558110721****	Pro Exit
art. 9459**	Horizontal oval bar

Certificates and DoP

CE certificate nr.	0497/CPR/5638
CE DoP nr.	EN179-5638
UKCA certificate nr.	0086 CPR 747907
UKCA DoP nr.	EN179-747907
Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-A-B



4 locking points


art. 7A37*****	Multiblindo Emotion Exit prearranged for extensions
art. XXXX*****	Multiblindo Emotion Exit Bus 2.0 prearranged for extensions
art. 7A39***** A	Multiblindo Easy Exit prearranged for extensions
art. 7AX100002	Extension U forend only latch
art. 7AX110002	Extension Flat forend only latch
art. 03332*, 03323*, art. 03324*	Central strike
art. 03316*, 03333*, 03316*, 03317*	Deviators strike
art. 00E1***10**	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate

Operating elements

art. 94A0000*****	Pro Exit
art. 9459**	Horizontal oval bar

Certificates and DoP

CE certificate nr.	0497/CPR/5638
CE DoP nr.	EN179-5638
UKCA certificate nr.	0086 CPR 747907
UKCA DoP nr.	EN179-747907
Harmonized standard	EN179:2008
Classification	3-7-7-A-1-4-5-2-A-B



1 locking point

art. 7A1A*****.A	Multiblindo Easy Exit lateral
art. 03332*, 03323*, art. 03324*	Central strike
art. 00E1***10**	Outside access
ARIES Smart,	Outside access
art. 00E40201**5 MA1A	Outside access
art. 040809, 040809*, art. 980502**	Escutcheon
art. 94100160	Microswitch
art. 040805.**	Anti-Drill plate

Operating elements

art. 94A0000*****	Pro Exit
art. 9459**	Horizontal oval bar

Certificates and DoP

CE certificate nr.	0497/CPR/5638
CE DoP nr.	EN179-5638
UKCA certificate nr.	0086 CPR 747907
UKCA DoP nr.	EN179-747907
Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-A-B