







**INDEX**

<b>DINFIR3 (EN12209:2003) .....</b>	<b>2</b>
<b>DINFIR3 + Palmo type A (EN1125:2008) .....</b>	<b>3</b>
<b>DINFIR3 + Idea Base type A (EN1125:2008) .....</b>	<b>5</b>
<b>DINFIR3 + Push Palmo type B (EN1125:2008) .....</b>	<b>7</b>
<b>DINFIR3 + Push Infilare type B (EN1125:2008).....</b>	<b>9</b>
<b>DINFIR3 + Pad Infilare type B (EN179:2008) .....</b>	<b>11</b>
<b>DINFIR3 + Lever Handle type A (EN179:2008).....</b>	<b>13</b>

# DINFIR3 (EN12209:2003)



 <p style="text-align: center;"><b>1 locking point</b></p>	 <p style="text-align: center;"><b>1 locking point plus deviators</b></p>	 <p style="text-align: center;"><b>3 locking points</b></p>	 <p style="text-align: center;"><b>3 locking points plus deviators</b></p>
<p><b>Locks</b> (deadbolt two throws manually operated)</p> <p>art. 2D111*****.4 lock latch plus two throws deadbolt art. 038650** striking plate</p>	<p><b>Locks</b> (deadbolt two throws with deviators)</p> <p>art. 2D041***** lock, latch plus two throws deadbolt art. 038650** striking plate for single leaf configuration art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p>	<p><b>Locks</b> (deadbolt manually operated)</p> <p>art. 2D111***** lock latch plus two throws deadbolt</p> <p><b>Flush bolt semi-fix leaf</b></p> <p>art. 2D600100** flush bolt for semi fix leaf art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144*, 0327** upper relatching device</p>	<p><b>Locks</b> (deadbolt manually operated)</p> <p>art. 2D041***** lock, latch plus two throws deadbolt art. 033117 vertical rods for deviators art. 2D014*000* lateral deviator art. 0331** striking plate for deviators</p> <p><b>Flush bolt semi-fix leaf</b></p> <p>art. 2D600100** flush bolt for semi fix leaf art. 032314, 0321*4 vertical rods for top and bottom locking points art. 032154 rod hasp top art. 032174, 032704 rod hasp bottom art. 032164 floor strike cup art. 032144*, 0327** upper relatching device</p>
<p><b>Certificates and DoP</b></p> <p>CE certificate 0497/CPR/6563 CE DoP EN12209-6563 UKCA certificate 0086 CPR 761746 UKCA DoP EN12209-761746 Harmonized standard EN12209:2003 Classification 3-S-9-1-0-G-6-B-C-2-0</p>	<p><b>Certificates and DoP</b></p> <p>CE certificate 0497/CPR/6563 CE DoP EN12209-6563 UKCA certificate 0086 CPR 761746 UKCA DoP EN12209-761746 Harmonized standard EN12209:2003 Classification 3-S-9-1-0-G-6-B-C-2-0</p>	<p><b>Certificates and DoP</b></p> <p>CE certificate 0497/CPR/6563 CE DoP EN12209-6563 UKCA certificate 0086 CPR 761746 UKCA DoP EN12209-761746 Harmonized standard EN12209:2003 Classification 3-S-3-1-0-G-6-B-C-2-0</p>	<p><b>Certificates and DoP</b></p> <p>CE certificate 0497/CPR/6563 CE DoP EN12209-6563 UKCA certificate 0086 CPR 761746 UKCA DoP EN12209-761746 Harmonized standard EN12209:2003 Classification 3-S-3-1-0-G-6-B-C-2-0</p>

 <p style="text-align: center;"><b>1 locking point only latch</b></p>	 <p style="text-align: center;"><b>1 locking point only deadbolt</b></p>
<p><b>Locks</b> (only latch)</p> <p>art. 2D114***** lock only latch art. 038650** striking plate</p>	<p><b>Locks</b> (deadbolt two throws with deviators)</p> <p>art. 2D115***** lock only deadbolt art. 038650** striking plate for single leaf configuration</p>
<p><b>Certificates and DoP</b></p> <p>CE certificate 0497/CPR/6563 CE DoP EN12209-6563 UKCA certificate 0086 CPR 761746 UKCA DoP EN12209-761746 Harmonized standard EN12209:2003 Classification 3-S-9-1-0-G-NA-B-C-2-0</p>	<p><b>Certificates and DoP</b></p> <p>CE certificate Not Applicable CE DoP Not Applicable UKCA certificate Not Applicable UKCA DoP Not Applicable Standard -- Classification --</p>

# DINFIR3 + Palmo type A (EN1125:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate
		art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 033117	vertical rods for deviators
		art. 032154	rod hasp top	art. 032154	rod hasp top	art. 2D014*000*	lateral deviator
		art. 032314, 0321*4	vertical rod	art. 032314, 0321*4	vertical rods	art. 0331**	striking plate for deviators
				art. 032174, 032704	rod hasp bottom		
				art. 032164	floor strike cup		
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo
art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706
CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706
UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909
UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A


1 locking point		2 locking points		3 locking points		3 locking points	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
						art. 0331**	striking plate for deviators
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo	art. 9490000*03791*	Palmo
art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706
CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706
UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909
UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A



	
<p align="center"><b>1 locking point</b></p>	<p align="center"> <b>Active leaf      Semi fix leaf no panic</b>  <b>1 locking point      2 locking points</b> </p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 9490000*03791*      Palmo art. 9459**      horizontal bar</p>	<p>art. 9490000*03791*      Palmo art. 9459**      horizontal bar</p>
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6706 CE DoP      EN1125-6706 UKCA certificate      0086 CPR 747909 UKCA DoP      EN1125-747909 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-A-A</p>	<p>CE certificate      0497/CPR/6706 CE DoP      EN1125-6706 UKCA certificate      0086 CPR 747909 UKCA DoP      EN1125-747909 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-A-A</p>

# DINFIR3 + Idea Base type A (EN1125:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate
		art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 033117	vertical rods for deviators
		art. 032154	rod hasp top	art. 032154	rod hasp top	art. 2D014*000*	lateral deviator
		art. 032314, 0321*4	vertical rod	art. 032314, 0321*4	vertical rods	art. 0331**	striking plate for deviators
				art. 032174, 032704	rod hasp bottom		
				art. 032164	floor strike cup		
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base
art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706
CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706
UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909
UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A

1 locking point		2 locking points		3 locking points		3 locking points	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
						art. 0331**	striking plate for deviators
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base	art. 94C0000*03791*	Idea Base
art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar	art. 9459**	horizontal bar
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706	CE certificate	0497/CPR/6706
CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706	CE DoP	EN1125-6706
UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909	UKCA certificate	0086 CPR 747909
UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909	UKCA DoP	EN1125-747909
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A	Classification	3-7-7-B-1-4-2-2-A-A





	
<p><b>1 locking point</b></p>	<p><b>Active leaf</b>      <b>Semi fix leaf no panic</b> <b>1 locking point</b>      <b>2 locking points</b></p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 94C0000*03791*      Idea Base art. 9459**      horizontal bar</p>	<p>art. 94C0000*03791*      Idea Base art. 9459**      horizontal bar</p>
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6706 CE DoP      EN1125-6706 UKCA certificate      0086 CPR 747909 UKCA DoP      EN1125-747909 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-A-A</p>	<p>CE certificate      0497/CPR/6706 CE DoP      EN1125-6706 UKCA certificate      0086 CPR 747909 UKCA DoP      EN1125-747909 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-A-A</p>

# DINFIR3 + Push Palmo type B (EN1125:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650** art. 032144...*, 0327** art. 032154 art. 032314, 0321*4	striking plate upper relatching device rod hasp top vertical rod	art. 038650** art. 032144...*, 0327** art. 032154 art. 032314, 0321*4 art. 032174, 032704 art. 032164	striking plate upper relatching device rod hasp top vertical rods rod hasp bottom floor strike cup	art. 038650** art. 033117 art. 2D014*000* art. 0331**	striking plate vertical rods for deviators lateral deviator striking plate for deviators
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707
CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707
UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911
UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A

ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF	
<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>	
1 locking point		2 locking points		3 locking points		2 locking points		3 locking points		2 locking points	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo	art. 9449***5839.1	Push Palmo
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707
CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707
UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911
UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A



	
<p align="center"><b>1 locking point</b></p>	<p align="center"> <b>Active leaf</b>      <b>Semi fix leaf no panic</b>  <b>1 locking point</b>      <b>2 locking points</b> </p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 9449***5839.1      Push Palmo</p>	
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6707 CE DoP      EN1125-6707 UKCA certificate      0086 CPR 747911 UKCA DoP      EN1125-747911 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-B-A</p>	<p>CE certificate      0497/CPR/6707 CE DoP      EN1125-6707 UKCA certificate      0086 CPR 747911 UKCA DoP      EN1125-747911 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-B-A</p>



# DINFIR3 + Push Infilare type B (EN1125:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate
		art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 033117	vertical rods for deviators
		art. 032154	rod hasp top	art. 032154	rod hasp top	art. 2D014**000*	lateral deviator
		art. 032314, 0321*4	vertical rod	art. 032314, 0321*4	vertical rods	art. 0331**	striking plate for deviators
				art. 032174, 032704	rod hasp bottom		
				art. 032164	floor strike cup		
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707
CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707
UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911
UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A

ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF	
<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>	
<b>1 locking point</b>		<b>2 locking points</b>		<b>2 locking points</b>		<b>3 locking points</b>		<b>3 locking points</b>		<b>2 locking points</b>	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare	art. 94F0*****3791*	Push Infilare
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707	CE certificate	0497/CPR/6707
CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707	CE DoP	EN1125-6707
UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911	UKCA certificate	0086 CPR 747911
UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911	UKCA DoP	EN1125-747911
Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008	Harmonized standard	EN1125:2008
Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A	Classification	3-7-7-B-1-4-2-2-B-A

	
<p align="center"><b>1 locking point</b></p>	<p align="center"> <b>Active leaf</b>      <b>Semi fix leaf no panic</b>  <b>1 locking point</b>      <b>2 locking points</b> </p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 94F0*****3791*      Push Infilare</p>	
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6707 CE DoP      EN1125-6707 UKCA certificate      0086 CPR 747911 UKCA DoP      EN1125-747911 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-B-A</p>	<p>CE certificate      0497/CPR/6707 CE DoP      EN1125-6707 UKCA certificate      0086 CPR 747911 UKCA DoP      EN1125-747911 Harmonized standard      EN1125:2008 Classification      3-7-7-B-1-4-2-2-B-A</p>

# DINFIR3 + Pad Infilare type B (EN179:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate
		art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 033117	vertical rods for deviators
		art. 032154	rod hasp top	art. 032154	rod hasp top	art. 2D014**000*	lateral deviator
		art. 032314, 0321*4	vertical rod	art. 032314, 0321*4	vertical rods	art. 0331**	striking plate for deviators
				art. 032174, 032704	rod hasp bottom		
				art. 032164	floor strike cup		
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709
CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709
UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902
UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902
Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A



ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF	
<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>	
<b>1 locking point</b>		<b>2 locking points</b>		<b>2 locking points</b>		<b>2 locking points</b>		<b>3 locking points</b>		<b>2 locking points</b>	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare	art. 94G0000*03791	Pad Infilare
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709	CE certificate	0497/CPR/6709
CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709	CE DoP	EN179-6709
UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902	UKCA certificate	0086 CPR 747902
UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902	UKCA DoP	EN179-747902
Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A	Classification	3-7-7-B-1-4-5-2-B-A

<p align="center"><b>1 locking point</b></p>	<p align="center"> <b>Active leaf</b>      <b>Semi fix leaf no panic</b>  <b>1 locking point</b>      <b>2 locking points</b> </p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 94G0000*03791      Pad Infilare</p>	
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6709 CE DoP      EN179-6709 UKCA certificate      0086 CPR 747902 UKCA DoP      EN179-747902 Harmonized standard      EN179:2008 Classification      3-7-7-B-1-4-5-2-B-A</p>	<p>CE certificate      0497/CPR/6709 CE DoP      EN179-6709 UKCA certificate      0086 CPR 747902 UKCA DoP      EN179-747902 Harmonized standard      EN179:2008 Classification      3-7-7-B-1-4-5-2-B-A</p>

# DINFIR3 + Lever Handle type A (EN179:2008)

1 locking point		2 locking points		3 locking points		3 locking points lateral	
<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)		<b>Locks</b> (deadbolt manually operated)	
art. 2D*11*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*21*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*31*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E	2D*41*****.4	DINFIR3 lock two locking points latch plus deadbolt functions B, C, D, E
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate	art. 038650**	striking plate
		art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 033117	vertical rods for deviators
		art. 032154	rod hasp top	art. 032154	rod hasp top	art. 2D014*000*	lateral deviator
		art. 032314, 0321*4	vertical rod	art. 032314, 0321*4	vertical rods	art. 0331**	striking plate for deviators
				art. 032174, 032704	rod hasp bottom		
				art. 032164	floor strike cup		
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708
CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708
UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904
UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904
Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A

ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF		ACTIVE LEAF		INACTIVE LEAF	
<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>		<b>Active leaf</b>		<b>Inactive leaf</b>	
<b>1 locking point</b>		<b>2 locking points</b>		<b>2 locking points</b>		<b>3 locking points</b>		<b>2 locking points</b>		<b>3 locking points</b>	
<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)		<b>Locks active leaf</b> (deadbolt manually operated)	
art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*22*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*32*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*42*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E	art. 2D*12*****.4	DINFIR3 lock one locking point latch plus deadbolt functions B, C, D, E
<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>		<b>Counterlock inactive leaf</b>	
art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock	art. 2D7001****	counterlock
<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>		<b>Accessories</b>	
art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points	art. 032314, 0321*4	vertical rods for top and bottom locking points
art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top	art. 032154	rod hasp top
art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom	art. 032174, 032704	rod hasp bottom
art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup	art. 032164	floor strike cup
art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device	art. 032144...*, 0327**	upper relatching device
<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>		<b>Operating elements</b>	
art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles	art. 0324**	ISEO handles
<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>		<b>Certificates and DoP</b>	
CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708	CE certificate	0497/CPR/6708
CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708	CE DoP	EN179-6708
UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904	UKCA certificate	0086 CPR 747904
UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904	UKCA DoP	EN179-747904
Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008	Harmonized standard	EN179:2008
Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A	Classification	3-7-7-B-1-4-5-2-A-A

	
<p><b>1 locking point</b></p>	<p><b>Active leaf 1 locking point</b>      <b>Semi fix leaf no panic 2 locking points</b></p>
<p><b>Locks</b> (deadbolt automatically operated)</p>	
<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>	<p>art. 2D*A1*****.4      DINFIR3 lock automatic. one locking point latch plus deadbolt functions B, D</p>
<p><b>Flush bolt semi-fix leaf</b></p>	
<p>art. 2D600100*4      flush bolt</p>	
<p><b>Accessories</b></p>	
<p>art. 038650**      striking plate</p>	<p>art. 032314, 0321*4      vertical rods for top and bottom locking points art. 032154      rod hasp top art. 032174, 032704      rod hasp bottom art. 032164      floor strike cup art. 032144...*, 0327**      upper relatching device</p>
<p><b>Operating elements</b></p>	
<p>art. 0324**      ISEO handles</p>	<p>art. 0324**      ISEO handles</p>
<p><b>Certificates and DoP</b></p>	
<p>CE certificate      0497/CPR/6708 CE DoP      EN179-6708 UKCA certificate      0086 CPR 747904 UKCA DoP      EN179-747904 Harmonized standard      EN179:2008 Classification      3-7-7-B-1-4-5-2-A-A</p>	<p>CE certificate      0497/CPR/6708 CE DoP      EN179-6708 UKCA certificate      0086 CPR 747904 UKCA DoP      EN179-747904 Harmonized standard      EN179:2008 Classification      3-7-7-B-1-4-5-2-A-A</p>